Med

Part II. Preparation of LiFePO<sub>4</sub> from the Fe<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub> of Part I.

 $Li_3PO_4 + Fe_3(PO_4)_2 \rightarrow 3 LiFePO_4$ 

On page 39, please rewrite the paragraph beginning on line 15 and ending on line 19 to read as follows.

0<sup>2</sup>

Reaction 4. Formation of LiFe<sub>0.9</sub>Zn<sub>0.1</sub>PO<sub>4</sub> (LiFe<sub>1-y</sub>Zn<sub>y</sub>PO<sub>4</sub>) from Fe<sub>2</sub>O<sub>3</sub>

 $0.5 \text{ Li}_2\text{CO}_3 + 0.45 \text{ Fe}_2\text{O}_3 + 0.033 \text{ Zn}_3(\text{PO}_4)_2 +$ 

 $0.933 \text{ (NH}_4)_2 \text{HPO}_4 + 0.45 \text{ C} \rightarrow \text{LiFe}_{0.9} \text{Zn}_{0.1} \text{PO}_4 + 0.5 \text{ CO}_2 +$ 

0.45 CO +1.866 NH<sub>3</sub> + 1.4 H<sub>2</sub>0

In the Claims:

Please Cancel Claims 1 – 37.

Please add the following new Claims 42 – 134.

か

- 42. (New) A compound having the nominal formula LiMI<sub>1-y</sub>MII<sub>y</sub>PO<sub>4</sub>, wherein MI is at least one transition metal from Groups 4 to 11 of the Periodic Table and has a +2 valence state; MII is at least one metallic element which is from Group 2, 12, or 14 of the Periodic Table and has a +2 valence state; and 0 < y < 1.
- 43. (New) A compound of Claim 42 having an olivine structure.
- 44. (New) A compound of Claim 42, wherein  $0 < y \le 0.5$ .
- 45. (New) A compound of Claim  $4\frac{\lambda}{4}$ , wherein  $0 < y \le 0.2$ .

Serial No. 09/484,799

Page 2

- 46. (New) A compound of Claim 42, wherein MI is selected from the group consisting of Fe, Co, Ni, Mn, Cu, V, Sn, Ti, Cr, and mixtures thereof.
- 47. (New) A compound of Claim 46, wherein MI is selected from the group consisting of Fe, Co, Mn, Cu, V, Cr, and mixtures thereof.
- 48. (New) A compound of Claim 42, wherein MII is selected from the group consisting of Mg, Ca, Zn, Sr, Pb, Cd, Sn, Ba, Be, and mixtures thereof.
- 49. (New) A compound of Claim 48, wherein MII is selected from the group consisting of Mg, Ca,\Zn, Ba, and mixtures thereof.
- 50. (New) A compound of Claim 43, wherein MI is selected from the group consisting of Fe, Co, Ni, Mn, Cu, V, Sn, Ti, Cr, and mixtures thereof; MII is selected from the group consisting of Mg, Ca, Zn, Sr, Pb, Cd, Sn, Ba, Be, and mixtures thereof; and 0 < y ≤ 0.5.
- 51. (New) A compound of Claim 50, wherein MI is selected from the group consisting of Co, Ni, Mn, Cu, V/Sn, Ti, Cr, and mixtures thereof; and MII is selected from the group consisting of Mg, Ca, Zn, Sr, Pb, Cd, Sn, Ba, Be, and mixtures thereof.
- 52. (New) A compound of Claim 50, wherein MI is selected from the group consisting of Fe, Co, Ni, Mn, Cu, V, Sn, Ti, Cr, and mixtures thereof; and MII is selected from the group consisting of Ca, Zn, Sr, Pb, Cd, Sn, Ba, Be, and mixtures thereof.
- 53. (New) A compound of Claim 50, wherein MII is selected from the group consisting of Mg, Ca, Zn, Ba, and mixtures thereof.

()

W

54. (New) A compound of Claim 53, wherein MI is selected from the group consisting of Fe, Co, and mixtures thereof.

55. (New) A compound having the nominal formula LiMI<sub>1-y</sub>MII<sub>y</sub>PO<sub>4</sub>, wherein MI is selected from the group consisting of Fe, Co, Mn, Cu, V, Cr, and mixtures thereof; Mt is selected from the group consisting of Mg, Ca, Zn, Ba, and mixtures thereof; and 0 < y ≤ 0.2.</p>

56. (New) A compound represented by the nominal formula:

 $LiFe_{1-y}M_yPO_4$ 

wherein M is selected from the group consisting of Mg, Ca, Zn, Sr, Pb, Cd, Sn, Ba, Be, and mixtures thereof; and 0 < y < 1.

57. (New) A compound of Claim 58, wherein  $0 < y \le 0.5$ .

58. (New) A compound of Claim 57, wherein  $0 < y \le 0.2$ .

59. (New) A compound of Claim 58, wherein  $0 < y \le 0.1$ .

60. (New) A compound of Claim 56, wherein M is selected from the group consisting of Mg, Ca, Zn, Ba, and mixtures thereof.

61. (New) A compound of Claim 60 wherein M is Mg.

62. (New) A compound of Claim 61 having the nominal formula LiFe<sub>1-y</sub>Mg<sub>y</sub>PO<sub>4</sub>, wherein  $0 < y \le 0.5$ .

63. (New) A compound of Claim 62, wherein  $0.2 \le y \le 0.5$ 

(X)

A compound of Claim 63 having the nominal formula LiFe<sub>0.8</sub>Mg<sub>0.2</sub>PO<sub>4</sub>. 65. (New) A compound of Claim 62 wherein 0.1 < y < 0.2 A compound of Claim 62, wherein  $0 < y \le 0.1$ . A compound of Claim 68 having the nominal formula LiFe<sub>0.9</sub>Mg<sub>0.1</sub>PO A compound of Claim 60, wherein M is a mixture of metals selected from the group consisting of Mg, Ca, Zn, and Ba. A compound of Claim 6, wherein M is Ca, Zn, Sr, Pb, Cd, Sn, Ba, Be, and mixtures thereof. A compound of Claim 69, wherein M is selected from the group consisting of Ca, Zn, and mixtures thereof. 1. (New) A compound of Claim 70, wherein M is Ca. A compound of Claim M having the nominal formula LiFe<sub>1-y</sub>Ca<sub>y</sub>PO<sub>4</sub>, wherein  $0 < y \le 0.2$ . 73. (New) A compound of Claim 1/2 having the nominal formula LiFe<sub>0.9</sub>Ca<sub>0.1</sub>PO<sub>4</sub>. A compound of Claim 72 having the nominal formula LiFe<sub>0.8</sub>Ca<sub>0.2</sub>PO<sub>4</sub>. 75. (New) A compound of Claim 70 wherein M is Zn.

Page 5

78. (New) A compound of Claim 75 having the nominal formula LiFe<sub>1-y</sub>Zn<sub>y</sub>PO<sub>4</sub>, wherein  $\emptyset < y \le 0.2$ . (New) A compound of Claim 76 having the nominal formula LiFe<sub>0.9</sub>Zn<sub>0.1</sub>PO<sub>4</sub>. A compound of Claim % having the nominal formula LiFe<sub>0.8</sub>Zn<sub>0.2</sub>PO<sub>4</sub>. 79. (New) A compound of Claim 56 which has an olivine structure. 80. (New) An electrode comprising a compound of Claim 42. 81. (New) An electropie comprising a compound of Claim 50. An electrode comprising a compound of Claim 55. An electrode comprising a compound of Claim 58. (New) An electrode comprising a compound of Claim 60 3. (New) An electrode comprising a compound of Claim 64 86. (New) An electrode comprising a compound of Claim 67. An electrode comprising a binder; an electrically conductive 87. (New) carbonaceous material; and an active material which is an olivine compound having the nominal formula LiMI<sub>1-v</sub>MII<sub>v</sub>PO<sub>4</sub>, wherein MI is

An electrode comprising a binder; an electrically conductive carbonaceous material; and an active material which is an olivine compound having the nominal formula LiMI<sub>1-y</sub>MII<sub>y</sub>PO<sub>4</sub>, wherein MI is at least one transition metal from Groups 4 to 11 of the Periodic Table and has a +2 valence state; MII is at least one metallic element which is selected from Groups 2, 12, and 14 of the Periodic Table and has a +2 valence state; and 0 < y < 1.

Serial No. 09/484,799

- 88. (New) The electrode of Claim 87, wherein MI is selected from the group consisting of V, Cr, Mn, Fe, Co, Cu, and mixtures thereof.
- 89. (New) The electrode of Claim 87, wherein MII is selected from the group consisting of Mg, Ca, Ba, Zn, and mixtures thereof.
- 90. (New) An electrode comprising a binder; an electrically conductive carbonaceous material; and an active material having the nominal formula LiMI<sub>1-y</sub>MI<sub>y</sub>PO<sub>4</sub>, wherein MI is selected from the group consisting of Fe, Co, Ni, Mn, Cu, V, Sn, Ti, Cr, and mixtures thereof; MII is selected from the group consisting of Mg, Ca, Zn, Sr, Pb, Cd, Sn, Ba, Be, and mixtures thereof; and 0 < y < 1.
- 91. (New) An electrode of Claim 90, wherein MI is selected from the group consisting of Fe, Co, Mn, Cu, V, Cf, and mixtures thereof; MII is selected from the group consisting of Mg, Ca, Zn, Ba, and mixtures thereof; and  $0 < y \le 0.2$
- 92. (New) An electrode of Claim 91, wherein MI is selected from the group consisting of Co, Mn, Cu, V, Cr, and mixtures thereof; and MII is selected from the group consisting of Mg, Ca, Zn, Ba, and mixtures thereof.
- 93. (New) An electrode of Claim 91, wherein MI is selected from the group consisting of Fe, Co, Mn, Cu, V, Cr, and mixtures thereof; and MII is selected from the group consisting of Ca, Zn, Ba, and mixtures thereof.
- 94. (New) An electrode of Claim 91 having the nominal formula LiFe<sub>1-y</sub>Mg<sub>y</sub>PO<sub>4</sub>.
- 95. (New) A compound of Claim 91 having the nominal formula LiCo<sub>1-y</sub>Mg<sub>y</sub>PO<sub>4</sub>.



An electrode comprising a binder; an electrically conductive carbonaceous material; and an active material having the nominal formula LiFe<sub>1-y</sub>M<sub>y</sub>PO<sub>4</sub>, wherein M is selected from the group consisting of Mg, Ca, Zn, Sr, Pb, Cd, Sn, Ba, Be, and mixtures thereof; and 0 < y < 1. An electrode of Claim 96, wherein  $0 < y \le 0.2$ . An electrode of Claim 97, wherein said active material has the nominal formula LiFe<sub>1-v</sub>Mg<sub>v</sub>PO<sub>4</sub>. An electrode of Claim 98, wherein said active material has the nominal formula LiFe<sub>0.9</sub>Mg<sub>0.1</sub>PO<sub>4</sub>. 100 (New) An electrode of Claim 98, wherein said active material has the nominal formula LiFe<sub>0.8</sub>Mg<sub>0,2</sub>PO<sub>4</sub>. 101. (New) An electrode of Claim 91, wherein said active material is a single phase compound having the nominal formula LiFe<sub>1-y</sub>Ca<sub>y</sub>PO<sub>4</sub>. 102. (New) An electrode of Claim 101, wherein said active material has the nominal formula LiFe<sub>0.9</sub>Ca<sub>0.1</sub>PO<sub>4</sub>. 103. (New) An electrode of Claim 101, wherein said active material has the nominal formula LiFe<sub>0.8</sub>Ca<sub>0.2</sub>PO<sub>4</sub>. 104. (New) An electrode of Claim 97, wherein said active material has the

Serial No. 09/484,799

nominal formula

LiFe<sub>1-v</sub>Zn<sub>v</sub>PO<sub>4</sub>.

64

A

105. (New) An electrode of Claim 104, wherein said active material has the nominal formula LiFe<sub>0.9</sub>Zn<sub>0.1</sub>PO<sub>4</sub>.

106. (New) An electrode of Claim 104, wherein said active material has the nominal formula LiFe<sub>0.8</sub>Zn<sub>0.2</sub>PO<sub>4</sub>.

107. (New) An electrode of Claim 96, wherein said active material has an olivine structure.

108. (New) A lithium battery\comprising:

- (a) a first electrode comprising an active material which is an olivine compound represented by the nominal formula  $LiMI_{1-y}MII_yPO_4$ , wherein MI is at least one transition metal from Groups 4 to 11 of the Periodic Table and has a +2 valence state; MII is at least one metallic element which is selected from Groups 2, 12, and 14 of the Periodic Table and has a +2 valence state; and 0 < y < 1;
- (b) a second electrode which is a counter-electrode to said first electrode; and
- (c) an electrolyte between said electrodes.
- 109. (New) A lithium battery of Claim 108 wherein said first electrode is a cathode, and said second electrode is an insertion anode.
- 110. (New) A lithium battery of Claim 109, wherein said second electrode comprises a metal oxide, metal chalcogenide, carbon, graphite, and mixtures thereof.
- 111. (New) A lithium battery of Claim 109 wherein MI is selected from the group consisting of Fe, Co, Mn, Cu, V, Cr, and mixtures thereof.

70

Serial No. 09/484,799

Page 9

112. (New) A lithium battery of Claim 109 wherein MII is selected from the group consisting of Mg, Ca, Zn, Ba, and mixtures thereof.

## 113. (New) A lithium battery comprising:

- (a) a first electrode comprising an active material which is an olivine compound represented by the nominal formula  $LiMI_{1-y}MII_yPO_4$ , wherein MI is selected from the group consisting of Fe, Co, Ni, Mn, Cu, V, Sn, Ti, Cr, and mixtures thereof; MII is selected from the group consisting of Mg, Ca, Zn, Sr, Pb, Cd, Sn, Ba, Be, and mixtures thereof; and  $0 < y \le 1$ ;
- (b) a second electrode which is a counter-electrode to said first electrode; and
- (c) an electrolyte\between said electrodes.
- 114. (New) A lithium battery of Claim 113, wherein said first electrode is a cathode, and said second electrode is an insertion anode.
- 115. (New) A lithium battery of Claim 114, wherein said second electrode comprises a metal oxide, metal chalcogenide, carbon, graphite, and mixtures thereof.
- 116. (New) A lithium battery of Claim 114, wherein MI is selected from the group consisting of Fe, Co, Mn, Cu, V, Cr, and mixtures thereof; MII is selected from the group consisting of Mg, Ca, Zn, Ba, and mixtures thereof; and 0 < y ≤ 0.2.
- 117. (New) A lithium battery of Claim 116, wherein MI is selected from the group consisting of Co, Mn, Cu, V, Cr, and mixtures thereof; and MII is selected from the group consisting of Mg, Ca, Zn, Ba, and mixtures thereof.

 $\mathcal{J}$ 

A

- 118. (New) A lithium battery of Claim 116, wherein MI is selected from the group consisting of Fe, Co, Mn, Cu, V, Cr, and mixtures thereof; and MII is selected from the group consisting of Ca, Zn, Ba, and mixtures thereof.
- 119. (New) A lithium battery of Claim 116, wherein said active material has the nominal formula LiFe<sub>1-y</sub>Mg<sub>y</sub>PO<sub>4</sub>)
- 120. (New) A lithium battery of Claim 116, wherein said active material has the nominal formula LiCo<sub>1-y</sub>Mg<sub>y</sub>PO<sub>4</sub>.

121. (New) A lithium battery comprising:

- (a) a first electrode comprising an active material represented by the nominal formula LiFe<sub>1-y</sub>M<sub>y</sub>PO<sub>4</sub>, wherein M is selected from the group consisting of Mg, Ca, Zn, Sr, Pb, Cd, Sn, Ba, Be, and mixtures thereof; and 0 < y < 1;
- (b) a second electrode which is a counter-electrode to said first electrode; and
- (c) an electrolyte between said electrodes.

122. (New) A lithium battery of Claim 121, wherein said first electrode is a cathode, and said second electrode is an insertion anode.

123. (New) A lithium battery of Claim 122, wherein said second electrode comprises a metal oxide, metal chalcogenide, carbon, graphite, and mixtures thereof.

124. (New) A lithium battery of Claim 122, wherein  $0 < y \le 0.2$ .

Serial No. 09/484,799

Page 11

125. (New) A lithium battery of Claim 124, wherein said active material has the nominal formula LiFe<sub>1-v</sub>Mg<sub>v</sub>PO<sub>4</sub>. 126. (New) A lithium battery of Claim 125, wherein said active material has the nominal formula LiFe<sub>0.9</sub>Mg<sub>0.1</sub>PO<sub>4</sub>. 121. (New) A lithium battery of Claim 125, wherein said active material has the nominal formula LiFe<sub>0.8</sub>Mg<sub>0.2</sub>PO<sub>4</sub>. 128. (New) A lithium battery of Claim 124, wherein said active material is a single phase compound having the nominal formula LiFe<sub>1-y</sub>Ca<sub>y</sub>PO<sub>4</sub>. 129. (New) A lithium battery of Claim 128 wherein said active material has the nominal formula LiF\(\frac{4}{6}0.9\)C\(\frac{1}{2}0.1\)P\(\frac{1}{2}\)4. 130. (New) A lithium battery of Clarim 126, wherein said active material has the nominal formula LiF\varphi\_{0.8}\cdot\cappa\_{0.2}PO\_4. . (New) A lithium battery of Claim wherein said active material has the nominal formula LiFe<sub>1-v</sub>Zn<sub>v</sub> 182. (New) A lithium battery of Claim 131, wherein said active material has the nominal formula LiFe<sub>0.9</sub>Zn<sub>0.1</sub>PO 133. (New) A lithium battery of Claim 131, wherein said active material has the nominal formula LiFe<sub>0.8</sub>Zn<sub>0.2</sub>RO<sub>4</sub>. 134. (New) A lithium battery of Claim 121, where n said active material has an olivine structure.